

EQUIPOS Y ACCESORIOS DE CONTROL DE CARGA

(22) BANDA PARA SUJETAR CARGA CON GANCHO PLANO 4" X 30'. 2042-30
LTS. LOAD STRAP 4" X 30' W/FLAT HOOK **(USA)**



4" webbing with flat hook 30' in length
Ultimate Breaking Strength: 7,363 kgs./
16,200 lbs. Working Load Limit: 2,455
kgs./ 5,400 lbs. REF. (3042-30) Weight:
2.27 kg/ea. 10 pieces case.

(23) 1660 – WINCHE PARA BANDA SUJETADORA. STANDARD PORTABLE WINCH (WINCH-4130 (16P) (USA)



Comes with two setscrews. Will hold up to
30 feet of webbing. Breaking Strength:
6,820 kgs./15,000 lbs. Working Load Limit:
2,275 kgs./ 5,000 lbs.
Weight: 4.01 kg/ea. 4 pieces case.

(24) RS2" (5622-30) JUEGO DE BANDA PARA SUJETAR CARGA CON GANCHO PLANO DE 2" X 3' CON RATCH PARA BANDA. RATCHET STRAP – 2" X 30' W/F HOOK (SET) (USA)



2" ratchet strap with flat hook 30' overall length Features a long wide handle ratchet. Breaking Strength: 4,540 kgs./10,000 lbs. Working Load Limit: 1,515 kgs. / 3,335 lbs. REF. (3822-30) Weight: 2.61 kg/ea. 10 pieces case.

(25) RS2" 3823-30 JUEGO DE BANDA CON CADENA Y GANCHO DE 2" X 3' CON RACH PARA BANDA RATCHET STRAP – 2" X 30' W/CHAIN ANCHOR (SET) (USA)



2" ratchet strap with chain anchor 30' overall length. Features a long wide handle ratchet. Breaking Strength: 4,540 kgs. /10,000 lbs. Working Load Limit: 1,515 kgs. / 3,335 lbs. REF.(3822-30) Weight: 4.38 kg/ea. 10 Sets per case.

(26) RS3" (5333-30) JUEGO DE BANDA PARA SUJETAR CARGA CON CADENA Y GANCHO DE 3" X 30' CON RACH PARA BANDA RATCHET STRAP-3" X 30' W CHAIN ANCHOR (SET) (USA)



3" ratchet strap with 18" chain anchor 30' overall length Breaking Strength: 6,805 kgs./15,000 lbs. Working Load Limit: 2,272 kgs./5,000 lbs. Weight: 7.48 kg/ea. 6 Sets per case.

(27) RS4"CA (3943-30) JUEGO DE BANDA PARA SUJETAR CARGA CON CADENA Y GANCHO DE 4" X 30' CON RACH PARA BANDA RATCHET STRAP-4" X 30" W/CHAIN ANCHOR



4" ratchet strap with chain anchor 30' overall length Breaking Strength: 9,000 kgs./ 19,800 lbs. Working Load Limit: 3,000 kgs./ 6,600 lbs. Weight: 8.30 kg/ea. 4 Sets per case. REF (3943-30)

(28) RS4" FH(5942-30) JUEGO DE BANDA PARA SUJETAR CARGA CON GANCHO PLANO DE 4" X 30' CON RACH PARA BANDA RATCHET STRAP 4" X 30' WITH FLAT HOOK (USA)



4" ratchet strap with flat hook 30' overall length Breaking Strength: 7,365 kgs./ 16,200 lbs. Working Load Limit: 2,455 kgs./ 5,400 lbs. Weight: 6.17 kg/ea. 3 Sets per case.

(29) is-2" (3023-30) BANDA PARA SUJETAR CARGA CON CADENA Y GANCHO 2" X 30'. LOAD STRAP 2" X 30' W/CHAIN ANCHOR (USA)



2" webbing with 18" chain anchor 30' in length Ultimate Breaking Strength: 4,535 kgs./10,000 lbs. Working Load Limit: 1,515 kgs./3,335 lbs. Weight: 4.14 kg/ea. 10 pieces case.

(30) LS-4" (3043-30) BANDA PARA SUJETAR CARGA CON CADENA Y GANCHO 4" X 30' LOAD STRAP- 4" X 30" WITH CHAIN ANCHOR (USA)



4" webbing with 18" chain anchor 30' in length Ultimate Breaking Strength: 9,000 kgs./ 19,800 lbs. Working Load Limit: 3,000 kgs./ 6,600 lbs. Weight: 3.00 kg/ea. 8 pieces case.

(31) LS3" (2033-30) BANDA PAA SUJETAR CARGA CON CADENA Y GANCHO DE 3" X 3' LOAD STRAP- 3" X 30" WITH CHAIN ANCHOR (USA)



3" webbing with 18" chain anchor 30' in length Ultimate Breaking Strength: 6,805 kgs./15,000 lbs. Working Load Limit:

EQUIPOS Y ACCESORIOS DE CONTROL DE CARGA

2,272 kgs./ 5,000 lbs. Weight: 2.95 kg/ea.
10 piezas case.

(32) PEP-982-002 56 PROTECTOR DE CARGA DE HULE. CORNER GARD – POLIPROPILENE P.



Plastic tarp guard covers load corners and other sharp contact points. Helps prevent damage to load and cargo control tarps or covers. Weight: 0.010 kg/ea. 50 piezas case.

(33) CPro (4700) PROTECTOR DE ACERO PARA CARGA DE AMARRE CON CADENA CHAIN PROTECTOR - METAL - Steel (USA)



The steel corner protector is constructed of heat treated 12 gauge steel. It is used to protect the product when using chain to secure heavy-duty cargo. Weight: .59 kg/ea. 50 piezas case

(34) Cpro (4750) – PROTECTOR DE ACERO PARA CARGA CUBIERTO DE HULE . STEEL CORNER PROTECTOR WITH RUBBER BACKING (USA)



The steel corner protector with rubber backing is constructed of heat treated 12 gauge steel and a 1/4" vulcanized rubber pad. It is used when transporting soft metals. The rubber backing prevents the chain and metal edges of the corner protector from damaging soft metals. Weight: .73 kg/ea. 20 piezas case.

(35) (CHAIN-1/2(LAC) CADENAS PARA SUJECION DE CARGA DE 1/2" X 20' PIES. CHAIN -1/2 X 20'

(36) (CHAIN-3/8LAC) CADENAS PARA SUJECION DE CARGA DE 3/8" X 20' PIES. CHAIN 3/8 X 20'

(37) (CHAIN-5/16-LAC) CADENAS PARA SUJECION DE CARGA DE 5/16" X 20' PIES. 5/16" X 20' GRADE DOMESTIC



Specifications

Chain Size (in.)	Length (ft.)	Working Load Limit (lbs.)	Pieces per Drum	Weight per Unit (kg)	Weight per Drum (kg)	Part Number
1/2	20	11,300	10	22.00	220.00	(35) Chain 1/2 LAC
3/8	20	6,600	20	12.61	252.22	(36) Chain 3/8 LAC
5/16	20	4,700	25	8.96	244.00	(37) Chain 5/16 LAC

(38) LB (4228) TENSOR DE CADENAS 5/16" – 3/8" . Lever Type Binder 5/16" – 3/08" (48305CMG)



Over center lever chain binder locks securely when binding or releasing. Fits 5/16" and 3/8" chain. Breaking Strength: 8,620 kgs./ 19,000 lbs. Working Load Limit: 2,450 kgs./ 5,400 lbs. Weight: 3.92 kg/ea. 4 piezas case.

(39) RB-3/8 (48366cmg) TENSOR DE CADENAS TIPO MATRACA 3/8' - 1/2" . RATCHET LOAD BINDER 3/8" 1/2"



Easy to operate ratchet binder locks securely when binding or releasing. Fits 5/16" and 3/8" chain. Breaking Strength: 8,620 kgs./ 19,000 lbs. Working Load Limit: 4,182 kgs./ 9,200 lbs. Weight: 5.65 kg/ea. 4 piezas case.

(40) RB-1 /2 (4538) TENSOR DE CADENA TIPO MATRACA 1/2" – 5/8" RATCHET LOAD BINDER 1 /2" - 5/8"



Easy to operate ratchet binder locks securely when binding or releasing. Fits 5/16" and 3/8" chain. Breaking Strength: 8,620 kgs./ 19,000 lbs. Working Load Limit: 5,910 kgs / 13,000 lbs .Weight: 5.42 kg/ea. 4 piezas case.

(41) RB-5/16" (48365CMG) TENSOR DE CADENAS TIPO MATRACA 5/16" – 3/8" . RATCHET LOAD BINDER 5/16" - 3/8"



Easy to operate ratchet binder locks securely when binding or releasing. Fits 5/16" and 3/8" chain. Breaking Strength: 8,620 kgs./ 19,000 lbs. Working Load

EQUIPOS Y ACCESORIOS DE CONTROL DE CARGA

Limit: 2,450 kgs / 5,400 lbs. Weight: 4.69 kg/ea. 4 piezas case.

(42) SUJETADORES DE LONAS DE 21" (BUNGIES) . RUBBER BUNGIES – 21"



Rubber Tarp Straps are made for restraining tarp covers on flatbed trailers. Rubber tarp straps are imported and made of EPDM Synthetic Rubber Polymer. Rubber tarp straps are not to be used for tying down or securing cargo. **THESE STRAPS ARE DESIGNED TO HOLD TARP COVERS IN PLACE** Weight: 6.44 kg/Cs. 50 piezas case.

(64) (LB48305) TENSOR DE CADENAS ESTÁNDAR DE 3/8" – 5/16" STANDARD BINDER (DIXIE) (USA)



48305 3/8 - 5/16 GRADE 70 WEIGHT LIMIT 5,400 LBS WEIGHT 8.1 LBS All components are forged, no cast parts. Forged binders are lighter and stronger than cast binders. Under equal force a forged handle will yield and bend while a cast handle may break. 4 piezas case.


(65)(LB48306) TENSOR DE CADENA ESTANDARD DE 1/2 - 3/8 STANDARD BINDER 1/2-3/8 (USA)



48306 1/2 - 3/8 – GRADE 70 WEIGHT LIMIT 9,200 LBS WEIGHT 10.6 LBS All components are forged, no cast parts. Forged binders are lighter and stronger than cast binders. Under equal force a forged handle will yield and bend while a cast handle may break. 4 piezas case.

(66) (LB48385) TENSOR DE CADENA ESTANDARD CON SEGURO PARA CANDADO, PIN DE SEGURIDAD O

TORNILLO 3/8"- 5/16". 3/8" – 5/16" DIXIE-LOC BINDER (USA)



48385 3/8 - 5/16 GRADE 70 WEIGHT LIMIT 5,400 LBS , HANDLE LENTH 16.62 " WEIGHT 8.5 LBS

Innovative load security feature allows the binder to be locked in the closed position using a padlock, linch pin, or bolt. This feature offers two key advantages; a locked binder cannot become unintentionally opened during transport and a locked binder cannot be removed from the chain, thereby protecting the load. 4 piezas case.


(67) (LB48405) TENSOR DE CADENA 3/8-5/16 EZ PRO CAM BLOCK (YELLOW) DIXIE (USA)



48405 3/8 - 5/16 4.75 HANDLE LENTH 16.62 WEIGHT LIMIT 5,400 WEIGHT 9.0 LBS


Part #48405 have a patented design providing low energy cam release that releases tension at a constant point—always at 12 o'clock. Free turning, 360° continuous swivel action in both tongue and clevis for enhanced straight line pull. Binder toggles away from load. Highly visible yellow paint finish. 4 piezas case.

(57) (TA6'dblue) LONAS PARA PROTECCION DE CARGA CON LENGÜETA DE 8' X 6' Y COBERTURA DE 20' X 27' DE MATERIAL VINIL DE 18 OZ. LUMBER 8 X 6' FLAP DROP-BLUE-20' X 27' W/FLAP.




(58) (TABLT) LONAS PARA PROTECCION DE CARGA CON

LENGUETA DE 8' X 8' Y COBERTURA DE 24' X 27' MATERIAL VINIL DE 18OZ. BLACK LUMBER TARP 18OZ- 24' X 27' W/ FLAP, 8FT DROP.



(59) LONAS PARA PRTECCION DE CARGA SIN LENGÜETA DE 16' X 25' MATERIAL VINIL DE 18OZ. BLACK TARP 16' X 25' W/NO FLAP (P) 18OZ



(60) (STELL II(CB-301)BARRA DE ACERO EXPANDIBLE DE SUJECION INTERIOR . STEEL LOAD LOCK (89" – 105") (USA)



Barra de acero expandible con rango de ajuste de 89 a 105 pulgadas, con terminales de goma de cada extremo para una sujeción más segura.

Cargo bar has an adjustable range from 89in. to 105in. and features 9/16in. thick rubber gripper pads bolted onto each for a tight, secure hold. High-quality 1 1/2in steel tube has an easy-to-use ratcheting adjustment.

(61) (flag 10124) BANDERILLAS ROJAS DE ADVERTENCIAS CON BASE DE MADERA RED WOOD FLAG



EQUIPOS Y ACCESORIOS DE CONTROL DE CARGA

W/DOWEL-5/8" . 50 piezas per case.



(62) (flag 10131 (Red) **BANDERA ROJA DE AVVERTENCIA SIN BASE**
GROMMET WARNING FLAG RED. 50
pieces per case



(63) (flag10141) **ANUNCIO DE SOBREDIMENSIONES. OVERSIZE**
GROMMET SIGN. 20 piezas per case

